



Hysol™ 6519

High performance semi-synthetic metalworking fluid

Description

Castrol Hysol[™] 6519 (previously called Clearedge[™] 6519) is high performance semi-synthetic metalworking fluid which is chlorine and formaldehyde releasing agent free. It contains a unique additive package that works in synergy to enhance machining performance and surface finish, provide excellent product stability, improve bio-resistance properties and lower the overall operations costs.

Hysol 6519 is suitable for large central systems and single sump machines.

Application

Hysol 6519 is especially designed for grinding and machining of aluminium alloys and low-medium alloyed steel.

	Cast Iron	Low-medium alloyed steel	High alloyed - stainless steel	Aluminium alloys	Magnesium	Yellow metals
Grinding	üü	üü	ü	ü		
Miling, Turning (general machining)	üü	üü	ü	ü		
Drilling	üü	üü	ü	ü		
Reaming, Tapping	ü	ü				
Broaching						

üü suggested core application ü possible application, please consult Castrol representative prior to use

Advantages

- Chlorine and nitrite free to fulfill your local legislation, waste treatment and environmental requirements
- Resists fungal and bacterial attack to extend fluid life and reduce maintenance and machine downtime
- Low foam in recommended water conditions
- Excellent wetting properties reduce coolant drag out and deliver clean machine tools and components
- Unique multi-functional product for multi-metal operations results in product consolidation

Typical Characteristics

Name	Method	Units	Hysol 6519			
Concentrate						
Appearance	Visual	-	Yellow			
Mineral Oil content	Calculated	Wt%	29			
Emulsion						
Appearance	Visual		Translucent			
рН (5%)	ASTM E70-97 DIN 51361		9.3			
Refractometer Factor			1.4			

Subject to usual manufacturing tolerances. Subject to usual manufacturing tolerances.

Recommended Concentrations

Grinding	4-5%
General Machining	4-8%
Water Range	100-400 pm CaCO₃

Storage

To avoid product deterioration always keep the container/drum tightly sealed. Store the product in a cool, dry place away from direct sunlight. Prevent exposure to frost and avoid water ingress. For optimum product stability, it is preferable to store the product indoors between 5° C and 45° C / 41° F and 113° F.

For more details, please refer the product safety data sheet.

This product was previously called Clearegde 6519. The name changed in 2015

Hysol™	6519								
20 Jan 2	2015								
Castrol, t	the Castrol	logo and re	elated mark	s are trade	emarks of C	Castrol Limit	ed, used	under li	cence

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol Industrial, Technology Centre , Whitchurch Hill , Pangbourne , Reading , RG8 7QR , United Kingdom

www.castrol.com/industrial